| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L6 | 1401 | Hall same solenoid | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/07 09:03 |
| L7 | 317 | Hall with solenoid | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/07 09:04 |
| L9 | 23 | 7 and "324".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/07 09:04 |
| L10 | 136 | 7 same sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/07 09:04 |
| S1 | 918 | 324/174.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 14:46 |
| S2 | 266 | 116/62.1.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 14:42 |
| S3 | 30 | S2 and magnet$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 14:42 |
| S4 | 84 | S1 and speedometer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 14:51 |

| S5 | 71254 | speedometer "speed sensor" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 14:52 |
|----|-------|---------------------------|--------------------------------------------------|----|----|------------------|
| S6 | 248 | S5 and annular near3 magnet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 15:50 |
| S7 | 342 | S5 and annular near3 magnet$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 15:51 |
| S8 | 103 | mechanical near2 speedometer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 15:51 |
| S9 | 129 | electrical near2 speedometer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 15:54 |
| S11 | 3 | S9 and annular near3 magnet$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 15:54 |
| S12 | 203 | electronic near2 speedometer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 15:57 |
| S13 | 445 | (electr$4 near2 speedometer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 15:55 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S14 | 10 | S13 and annular near3 magnet$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 15:55 |
| S15 | 76 | S12 and magnet$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 15:57 |
| S20 | 71341 | speedometer "speed sensor" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 09:21 |
| S21 | 4864 | S20 and (transmission near2 shaft) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 09:21 |
| S22 | 676 | S21 and screw$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 09:22 |
| S23 | 904 | S21 and (cas$3 with (chamber opening)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 09:23 |
| S24 | 6 | S23 and "324".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 09:24 |
| S25 | 67 | S21 and "324".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 09:52 |

| S26 | 28312 | "65" and "324".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 09:52 |
|---|---|---|---|---|---|---|
| S27 | 1543 | S20 and "324".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 09:56 |
| S28 | 1063 | S27 and (chamber enclos$4 hole recess cas$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 09:58 |
| S29 | 324 | S28 and transmission | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 10:06 |
| S30 | 1543 | S20 and "324".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 10:06 |
| S31 | 347 | S30 and (screw pin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 11:12 |
| S32 | 576 | S30 and ((connect$3 fasten$3) same (cas$3 hous$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 11:14 |
| S33 | 349 | S30 and ((connect$3 fasten$3) with (cas$3 hous$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 11:15 |

| S34 | 146 | S33 and gear | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 12:00 |
|---|---|---|---|---|---|---|
| S35 | 11649 | hall.ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 12:01 |
| S36 | 195 | "solenoid switch".ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 12:01 |
| S37 | 0 | S35 and S36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 12:02 |
| S38 | 29821 | hall.ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 12:02 |
| S41 | 709 | "solenoid switch".ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 12:02 |
| S42 | 5 | S38 and S41 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/06 12:05 |
| S43 | 19 | Hall same "solenoid switch" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/07 09:03 |